



*Leading manufacturer of aluminium trims  
and associated products for the interior fit out sector*

---

# The Trim Guide

---

[www.qic-trims.com](http://www.qic-trims.com)



QIC Trim solutions are the next generation of building products. They are the modern way to create an endless range of attractive and functional ceiling features, quickly and cost effectively, using engineered extruded aluminium trims, transitions and profiles.

Fully compatible with all ceiling suspension and plasterboard drywall grid systems, the high quality sections are available as standard in white powder coated finishes, or to order in a full range of RAL colours, to match and enhance any interior scheme.

For a professional finish at an affordable price, our engineered aluminium sections create seamless transitions between plasterboard margins and all types of suspended grid ceilings. The range of QIC Transitions sections can be supplied straight or curved for ultimate design flexibility.


Take your ceiling design to new levels with a range of eye-catching designs or floating raft solutions and Blind Box details. Simple and effective to use, the QIC Trim extrusions offer a choice of height options from 50 to 100mm and can be incorporated in any ceiling using standard grid systems.

Create exciting floating ceilings. Using highly engineered and pre-cut sections and accessories in either off-the-shelf modular kit form or as individual bespoke solutions. They are available in a full range of profile colours to suit.

It's easy to retain complete wall to wall design integrity using our QIC Perimeter solutions. The pre-engineered extruded aluminium profiles and adaptors, seamlessly accommodate full or cut tiles and vertical or horizontal plasterboard linings. These can be used to create boxes for curtains, blinds and lighting details, or simply complete your design with an attractive shadowline perimeter feature.

In 2002, we opened our purpose-built 36,000 square foot factory which houses some of the most modern machinery available, together with a state-of-the-art polyester powder coating facility.

Our technical expertise, gained from years of practical industry experience, is second to none, and we back this up with full computer aided design technology. As the direct result of our investment in these facilities, we believe that our technology, product quality, and response times are of the highest level. We pride ourselves upon our ability to provide fast track solutions to detailing requirements, and this is the bedrock of our continuing success.



 **DRY LINING REVEAL TRIMS**

 **SUSPENDED CEILING TRIMS**

 **CEILING RAFT SOLUTIONS**

 **BLIND BOX SOLUTIONS**

 **BESPOKE TRIMS**

 **METAL WORK**

**CONTENTS:**

**DRY LINING**

Corner Trims	7 - 15
Reveal Trims	11 & 15
Edge Trims	12 - 13
Plasterboard End Caps	14
Picture Hanging System	15
Skirting Solutions	16
Clip-on Skirting	17
Partition Head Track	17

**SUSPENDED CEILINGS**

Ceiling Raft Solutions	18 - 19
Knife Edge	20 - 21
Perimeter Trims	22
Upstand Trims	24
Edge Trims	26
Curved Trims	28 - 29

**ACCESSORIES**

Blind Box	27
Access Panels	30
QICPLAS	31
Movement Joints	32
LED Lighting System	33
Fabrication	34
Fixings	35
Glass	
Partitioning 25/75/100	36 - 39
Desk Screens	40



## SIMPLICITY

With QIC Trims products you can be sure of a perfect fit and finish every time. Our extruded pre-engineered aluminium profiles and trims are quick and easy to install using standard grid and tile combinations, so you can be sure of crisp edge details and smooth connections every time. Straight or curved, wall to wall or ceiling raft solutions at your fingertips – what could be simpler?

## QUALITY

From customised solutions to off-the-shelf kits, our products come with the guarantee of outstanding quality and service, you would expect from QIC Trims, the market leader in Aluminium trims.

## SERVICE


As with all QIC Trims products, you can be sure of the backing of a world class company that is totally focussed. The unique QIC Trims service offer will support you with initial design recommendations, detailed drawings with a full contractor support package of tailored logistics plus training or on-site guidance. We will even provide maintenance advice and support if the project needs changing in the future.

## BENEFITS

QIC Trims products offer single trade solutions that are quicker and more cost-effective to estimate and install. Our profiles can be prefinished in an array of Ral colours. In certain solutions, a significant time saving can be achieved over equivalent drywall perimeter solutions. Our precision engineered kits and accessories are designed to work with standard grids and tiles, so you get a perfect fit every time, no more complicated detailing problems to overcome – and no expensive re-working once the job is complete.

## TECHNICAL EXPERTISE

A leading global expert in trim design and technology, QIC Trims legacy dates back to 1996 producing innovative perimeter and transition solutions. We work closely with customers and partners to develop new and exciting products that today provide stylish and imaginative solutions for many of the world's landmark buildings, and have recently invested heavily in our design and engineering capabilities to provide customers with a wider portfolio of products and bespoke solutions for individual projects.













## CORNER TRIMS

### TYPE CE






## REVEAL TRIMS

### TYPE D



## EDGE/REVEAL TRIMS


### TYPE P



When curved, some of the above sections may be fabricated from other components. Please speak to the sales office for details. Other dimensions available to special order.

**REVEAL TRIMS****TYPE R****APPLICATION**

Type R trims are used to create horizontal or vertical reveal details where areas of dry lining abut suspended ceiling, door frames, floor skirting, window frames and many other architectural features. Subject to some bending limitations, type R trims can be factory curved both on plan and in section.

**PRODUCT INFORMATION**









Supplied in 3000mm lengths, extruded from architectural grade aluminium alloy to BS 1474. Pre-punched with diagonal fixing slots and holes in the plastering fin suitable for fixing by drywall screws. The standard finishes are either white polyester powder coating to RAL 9010, 20% Gloss, or chromate etch primer suitable for direct over-painting on site after fixing. Non-standard lengths, factory curving and alternative factory applied finishes are available to special order. Reveals with a custom dimension between 1mm – 99mm are available to special order.

**PACKING**


Packed in quantities as ordered with no bundle exceeding 25kgs. Packaging is by heavy gauge heat shrink polythene with corrugated cardboard end protection.

**TECHNICAL DETAILS**


Designed specifically for use as part of a conventional dry wall, partition or ceiling system with either single or multiple layers of plasterboard. Framework can be of metal stud, timber or other suitable medium provided that the structural requirements are met. Vertical studs should never be greater than 600mm apart. Trims are designed to create aesthetic appeal within dry lining systems and are not intended to improve structural performance. Construction depends upon the type of trim being used and typical application examples are shown on the data sheets. Trims should always be supported by structural members, with additional framing provided where necessary. Double layers of plasterboard will result in greater rigidity. Trims should always be backed by a layer of plasterboard and never fixed directly in contact with the structural framing. The use of additional layers of plasterboard may be necessary to achieve certain designs.



Other dimensions available to special order.




**R12 Curved**







Curved - on edge toe in

**R12 Curved**



Curved - on edge toe out

See also  
**QICPLAS**  
 Associated product


**REVEAL TRIMS****TYPE RD****RD10****RD12****RD15****RD25**

With the increased requirement for acoustics and the use of 15mm plasterboard, Type RD Reveal trims are used to create horizontal or vertical reveal details within areas of dry lining, suspended ceilings, door frames, skirting and windows frames and many other architectural features.



The products are designed for use with 15mm boards. Subject to some bending limitations, type RD trims can be factory curved both on plan and in section.

**REVEAL TRIMS**

**TYPE RS**




**RS12**



QIC products are available in all standard finishes, please refer to the sales team.  
Bespoke finishes are available on request.

**EDGE TRIMS****TYPE E****APPLICATION**

Type E trims are used to create vertical or horizontal straight edges at the end of a run of plasterboard, or where a raised or recessed feature is required. The trims can be used in both wall and ceiling applications, be factory formed into column rings.

**THE E RANGE****PRODUCT INFORMATION**

Supplied in 3000mm lengths, extruded from architectural grade aluminium alloy to BS 1474.

Pre-punched with diagonal fixing slots and holes in the plastering fin suitable for fixing by drywall screws. The standard finishes are either white polyester powder coating to RAL 9010, 20% Gloss, or chromate etch primer suitable for direct over-painting on site after fixing. Non-standard lengths, factory curving and alternative factory applied finishes are available to special order. Trims with a custom dimension between 3mm-100mm are available to special order.









**PACKING**

Packed in quantities as ordered with no bundle exceeding 25kgs. Packaging is by heavy gauge heat shrink polythene with corrugated cardboard end protection.


**TECHNICAL DETAILS**

Designed specifically for use as part of a conventional dry wall, partition or ceiling system with either single or multiple layers of plasterboard. Framework can be of metal stud, timber or other suitable medium provided that the structural requirements are met. Vertical studs should never be greater than 600mm apart.

Trims are designed to create aesthetic appeal within dry lining systems and are not intended to improve structural performance. Construction depends upon the type of trim being used and typical application examples are shown on the data sheets. Trims should always be supported by structural members, with additional framing provided where necessary. Double layers of plasterboard will result in greater rigidity. Trims should always be backed by a layer of plasterboard and never fixed directly in contact with the structural framing. The use of additional layers of plasterboard maybe necessary to achieve certain designs.





See also  
**QICPLAS**  
Associated product



**PLASTERBOARD END CAPS**



**TYPE GL**



Can be used with  
**QIC**  
PARTITIONS



**REVEAL TRIMS**

**TYPE W**



**PICTURE HANGING SYSTEM**


**TYPE H**



**SKIRTING SOLUTIONS**


**TYPE ST**

**ST100**



**TYPE SKR**


**SKR100**



*Other dimensions available to special order.*

**TYPE STA**



**STA100**






QIC products are available in all standard finishes, please refer to the sales team. Bespoke finishes are available on request.

**SKIRTING SOLUTIONS**

**CLIP-ON SKIRTING**









**PARTITIONING HEAD TRACK**




**CEILING RAFT SYSTEM**

**TYPE US**

Create an almost limitless range of exciting floating ceiling rafts. Using highly engineered and pre-cut sections and accessories in either off-the-shelf modular kit form or as individual bespoke solutions. They are available in a full range of profile colours to suit 15 and 24mm suspension systems and will accept any mineral, metal or wood range ceiling tiles - the choice is yours.






Internal Corner Splice



Mitred Corner Detail



Option - Corner Post



Connection Detail

### PRODUCT INFORMATION

Supplied in 3000mm lengths, extruded from architectural grade aluminium alloy to BS 1474. Pre-punched with diagonal fixing slots and holes in the plastering fin suitable for fixing by drywall screws. The standard finishes are either white polyester powder coating to RAL 9010, 20% Gloss, or chromate etch primer suitable for direct over-painting on site after fixing. Non-standard lengths, factory curving and alternative factory applied finishes are available to special order. Trims with a custom dimension between 3mm-100mm are available to special order.

### PACKING

Packed in quantities as ordered with no bundle exceeding 25kgs. Packaging is by heavy gauge heat shrink polythene with corrugated cardboard end protection.





### TECHNICAL DETAILS

Designed specifically for use as part of a conventional dry wall, partition or ceiling system with either single or multiple layers of plasterboard. Framework can be of metal stud, timber or other suitable medium provided that the structural requirements are met. Vertical studs should never be greater than 600mm apart.

Trims are designed to create aesthetic appeal within dry lining systems and are not intended to improve structural performance. Construction depends upon the type of trim being used and typical application examples are shown on the data sheets. Trims should always be supported by structural members, with additional framing provided where necessary. Double layers of plasterboard will result in greater rigidity. Trims should always be backed by a layer of plasterboard and never fixed directly in contact with the structural framing. The use of additional layers of plasterboard maybe necessary to achieve certain designs.

**PERIMETER SOLUTIONS**






**KNIFE EDGE**




PERIMETER TRIM

**TYPE AG**


**AG45**



**AG08**







**AG11**




SHADOW GAP TRIM - MINERAL CEILING TILES

**TYPE SA**




METAL CEILING TRIMS

**SJA03**




**XT0**

**TYPE XT**





**XT15**



**PERIMETER TRIM METAL CEILINGS**

**TYPE CH**








*When curved, some of the above sections may be fabricated from other components. Please speak to the sales office for details. Other dimensions available to special order.*






TRANSITION TRIM METAL CEILINGS

**TYPE Y**




SHADOW GAP TRIM - METAL CEILING TILES

**TYPE SC**



**UPSTAND TRIMS**


**TYPE UA**



UA01

WEDGELOCK CLEAT  
JOINING SYSTEM ONLY


**TYPE UC**




UC01

**T-GRID SYSTEM TRIMS**


**TYPE T**



**T01**



**T04**



Other dimensions available to special order.








TRANSITION TRIM MINERAL CEILINGS



**TYPE YAS**

**APPLICATION**

Type YA trims are used to create junction details between tegular mineral fibre suspended ceiling systems and adjacent areas of plasterboard.








**TYPE YA**



When curved, some of the above sections may be fabricated from other components. Please speak to the sales office for details. Other dimensions available to special order.

**PLASTERBOARD PERIMETER TRIMS**




**TYPE X**



*When curved, some of the above sections may be fabricated from other components. Please speak to the sales office for details. Other dimensions available to special order.*





**EDGE TRIMS**

**TYPE P**




*When curved, some of the above sections may be fabricated from other components. Please speak to the sales office for details. Other dimensions available to special order.*


**100 X 100**



**Full Ceiling Tile to Plasterboard**



**Wall to Plasterboard**



**Wall to full Ceiling Tile**

FOR INFORMATION ON THE FULL RANGE OF STANDARD AND BESPOKE SIZES  
PLEASE CONTACT US FOR OUR SPECIALIST BLIND BOX BROCHURE


**CURVED TRIMS DRY LINING**

**ST100**


*Curved toe out*



*Curved toe in*



**E12**



**R12**




*Curved: on edge toe out*

*Curved: on edge toe in*

**CURVED TRIMS CEILINGS**




**AG05**  
*Curved toe in*




**AG05**  
*Curved toe out*



**CH01**  
*Curved toe in*



**CH01**  
*Curved toe out*



**SC53**  
*Curved toe in*




**SC53**  
*Curved toe out*



**Composite Y15**  
*Curved toe in*




**T01**  
*Curved toe in*



**Y15**  
*Curved toe in*


**SC51/53**




**X55**



*Curved toe out*



*Curved toe out*




*Curved toe in*




*CURVED TRIMS SUSPENDED CEILINGS*


CH02 - Toe Out




Y15 - Toe Out




X55 - Column Installation




Y15 - Toe In - Technical Detail




Y15 - Toe Out - Technical Detail




X15 - Toe Out - Technical Detail



X15 - Toe In - Technical Detail



CH02 Toe Out - Technical Detail




CH02 Toe In - Technical Detail

**ACCESS PANELS**

*All Types Available in various sizes*




-  **FIRE RATED 1Hr**
-  **FIRE RATED 2Hr**
-  **ACOUSTIC RATED**
-  **AIR TIGHT**
-  **TILED WALL**
-  **CIRCULAR**
-  **BESPOKE**




# QICPLAS DRY LINING BEADS

Sales  01280 818950


Manufactured from recycled plastic, QICPLAS PVCu architrave shadow gap beads are designed for plasterboard to quickly and accurately form a shadow gap and provide a superior clean finish. Used at the edges of the plasterboard next to door frames, ceilings and skirting boards where the adjacent finish is designed to be seen.




**SGL20**




**SGU15**




**EB12**



**EB15**



**CB2A**





**CB2**

Full data sheets on each product available - please contact us


**ALUMINIUM**

To accommodate structural movement. QIC Pre-formed Aluminium strip 50mm wide. Used to form lateral joints in drywall systems to accommodate expansion and contraction.



**QICPLAS PVC**

Manufactured from recycled plastic, QICPLAS PVC movement joint / expansion joint beads are designed for areas of render over 20 square metres and should be specified every 4-6 metres, over structural movement joints and changes of background giving a discreet attractive finish. Also for use as an internal corner with plasterboard




# LED LIGHTING SYSTEMS


Sales  01280 818950

**QIC LED TRIMS** • To suit application of LED lighting • To suit 12.5mm and 15mm plasterboard • 3000mm lengths  
• RAL 9010 as standard, other colours available on request






## QIC LED 15



## QIC LED 15C




## QIC LED 2080



Introducing our new range of modern LED plaster in and tape and jointed finish extrusions and fabricated sections – profiles for recessing into plasterboard walls and ceilings for an incredible seamless diffused light output.




## TILE IN RANGE




**SHEET METAL FABRICATION**


---




**Top Hat**



**Ceiling Panel**




**C Profile**




**Angle**


**Straight Cleat**




**External Corner**




**Internal Corner**




**T - Connector Cleat**




*Cleats are supplied without screws.  
Suitable screws are  
available to order from QicTrims*



**Corner Post**




**Hanging Bracket**







## SINGLE GLAZED & DOUBLE GLAZED




Item: DGDH1  
Visible Face: 198mm  
Periphery: 344mm  
Kg/m: 1.27




Item: SGDH1  
Visible Face: 150mm  
Periphery: 362mm  
Kg/m: 1.26




Item: DGDH1  
Visible Face: 150mm  
Periphery: 463mm  
Kg/m: 1.64




Item: SGDF  
Visible Face: 195mm  
Periphery: 285mm  
Kg/m: 1.23




Item: SGDH2  
Visible Face: 160mm  
Periphery: 375mm  
Kg/m: 0.88




Item: DGDH2  
Visible Face: 199mm  
Periphery: 572mm  
Kg/m: 1.57



Item: SGDF-CENTRE  
Visible Face: 204mm  
Periphery: 394mm  
Kg/m: 1.41




Item: DGHT35  
Visible Face: 100.5mm  
Periphery: 426mm  
Kg/m: 1.06



Item: SGHT35  
Visible Face: 81mm  
Periphery: 246mm  
Kg/m: 0.53



Item: SGCLIP  
Visible Face: 27.5mm  
Periphery: 70mm  
Kg/m: 0.13




Item: DG03  
Visible Face: 96mm  
Periphery: 340.5mm  
Kg/m: 0.77



Item: SG03  
Visible Face: 85.5mm  
Periphery: 191.5mm  
Kg/m: 0.36



Item: SG02  
Visible Face: 29mm  
Periphery: 77mm  
Kg/m: 0.15




Item: DG01  
Visible Face: 28mm  
Periphery: 318mm  
Kg/m: 0.56




Item: SG01  
Visible Face: 40mm  
Periphery: 125mm  
Kg/m: 0.24


## 75mm PARTITION SYSTEM




Item: DWRA75/DF  
Visible Face: 232mm  
Periphery: 544mm  
Kg/m: 1.655




Item: DWRA75/HT  
Visible Face: 90mm  
Periphery: 445mm  
Kg/m: 1.016




Item: DWRA75/DG/C  
Visible Face: 57mm  
Periphery: 363mm  
Kg/m: 0.968



Item: DWRA75/SG/C  
Visible Face: 71mm  
Periphery: 423mm  
Kg/m: 0.85



Item: DWRA75/DG  
Visible Face: 181mm  
Periphery: 474mm  
Kg/m: 1.559




Item: DWRA75/SG  
Visible Face: 192mm  
Periphery: 501mm  
Kg/m: 1.187

### MULLION POST



Item: MP01  
Visible Face: 31mm  
Periphery: 110mm  
Kg/m: 0.203




Item: MP02  
Visible Face: 31mm  
Periphery: 250mm  
Kg/m: 0.565




Item: MP03  
Visible Face: 43mm  
Periphery: 155mm  
Kg/m: 0.326


## 100mm PARTITION SYSTEM




Item: DWRA/DF  
Visible Face: 240mm  
Periphery: 610mm  
Kg/m: 1.933




Item: DWRA/HT  
Visible Face: 90mm  
Periphery: 449mm  
Kg/m: 1.05




Item: DWRA/DG/C  
Visible Face: 64mm  
Periphery: 304mm  
Kg/m: 1.16



Item: DWRA/SG/C  
Visible Face: 110mm  
Periphery: 465mm  
Kg/m: 1.23




Item: DWRA/DG  
Visible Face: 188mm  
Periphery: 609mm  
Kg/m: 1.51



Item: DWRA/SG  
Visible Face: 202mm  
Periphery: 551mm  
Kg/m: 1.27

### 100MM SKIRTING



Item: SB100  
Visible Face: 111mm  
Periphery: 256mm  
Kg/m: 0.676




Item: SB100-CLIP  
Visible Face: NA  
Periphery: NA  
Kg/m: 1.655

For further information please contact our sales team for our Single and Double Glazed Partitions Brochures.



The impact of Covid-19 has challenged the conventions of the office building and will accelerate the implementation of different working styles. The role of the workplace will be just, if not more important, as its value is being demonstrated by its temporary removal. We have created products to help with getting people back in the office.



**DESK DIVIDER - SINGLE SIDED**

**DESK DIVIDER - SINGLE SIDED WITH ADDITIONAL SIDE PANEL**

**MONOPOD DESKTOP DIVIDER**

**MONOPOD DESKTOP DIVIDER WITH ADDITIONAL SIDE PANELS**

- UK Manufactured
- Quick turnaround on standard colours
- Quick and easy to install
- Pre mitred kits excluding glass also available
- Flexible solutions - we can manufacture to suit
- Easy to maintain and clean
- A range of colours and finishes available
- Modular standard sizes
- Bespoke made to measure sizes

**Installation requires limited tools and minimum disruption to the existing office space.**

