Partition Systems









System 75 and 100 Partition System

This flexible, popular system offers a multitude of design options combined with good sound and fire performance.

We are high quality UK manufacturers, proud of our long standing relationships built on service, flexibility and technical support. Our knowledgeable and experienced specialists deliver the architect's vision through our extensive installer network.







The QIC System 75 is a nominal 75mm (3") demountable partitioning system that provides both fire and acoustic performance. It is available in any combination of solid, fully glazed or part glazed elevations with a square wrap around profile.

Comprising a galvanised steel stud framework with aluminium profiles and cover trims, glazing can be installed as single centre, single offset, double glazed or faced with a single layer of 12.5mm thick gypsum plasterboard, System 75.

The overall thickness of the system can increase to 100mm with a double layer of 12.5mm plasterboard, with all extruded aluminium profiles available as polyester powder coated to a range of colours.





Features and Benefits

- Simple, attractive design
- Acoustic and fire performance options
- Solid wall
- Single or double glazed available
- Flexible and easy to install
- Choice of joints and detailing
- Integral blinds and manifestation options
- Fast-track white, grey and black ex stock




QIC System 75 / 100

System 75/100 is a quality partition system, which offers specifiers attractive square aluminium profiles and a multitude of design options together with good performance characteristics, establishing it as a popular choice with designers and facility managers alike.

QIC Partitioning is a non-load bearing system available in 75mm and 100mm nominal thicknesses, which can be constructed to provide both half hour fire resistance and good levels of sound attenuation.

















QIC System 75 / 100 Glazed Drywall Transition - The only solution for a truly


integrated frameless glazed and drywall junction.

QIC 75mm and 100mm drywall partitioning systems offer seamless integration between drywall and single frameless glazing. Drywall is constructed using 50mm steel studs and an aluminium head track. Double or single skin 12.5mm plasterboard is installed over the frame with a skim coat applied before decoration.






QIC System 75 Door Frame Options






Profile Overview



SALES: sales@qic-trims.com



System 100 Abutment Options








Fittings and Accessories - a vast range of products can be found in our bespoke Ironmongery Brochure, please contact us for a copy.





System 100 Door Frame Options - Horizontal Jamb









QicTrims Ltd - Radclive Road, Gawcott, Bucks, MK18 4BL UK **T**: +44(0)1280 818950 **F**: +44(0)1280 818955 **E**: sales@qic-trims.com

www.qic-trims.com