

BALUSTRADE

RANGE

Systems:

Professional Balustrade Elegance Balustrade Wire Rope Balustrade **Eternity Balustrade** Glass Divider Protective Screens On-Level Balustrade Juliet Balconies Skyforce Balconies **Button Systems** Canopies













Stainless Steel
Tube (Top Rail)







Adjustable Corner Saddle




Upright Clamp/ Wall Flange



Tube Connector



Toughened Glass Panel



Toughened Laminated Glass Panel



Flat back Glass Clamp



Face-Fix Clamp For side fix

Maximum Centres 1200mm Material Grades Grade 316 (external)

Glass Thickness 10mm toughened, 12mm toughened, 10.76mm laminated

Standard Height (To top of rail) 1121mm, bespoke sizes available

Tube Diameters 42.4mm, 48.3mm Stainless Steel Post Finishes

Mirror polished, Brushed satin **Available in any RAL colour.**

Please ask for details.

Glass Options Coloured (10mm), clear or frosted

Base Plates Available

100mm diameter/105mm base cover, 120mm diameter/125mm base cover

Compatible Fixings Wood, steel, brick or concrete

Post Construction Welded base plate, glass clamps and tube support to top

Can be used on stairs

*Side or top fixing available












Face-Fix Clamp For side fix







Toughened Laminated Glass Panel



Flat back Glass Clamp



Maximum Centres 1200mm Post Finishes Mirror polished, Brushed satin.

Available in any RAL colour.
Please ask for details.

Material Grades Grade 316 (external)

(external)

Glass Options Coloured
(10mm and 12mm), clear or frosted
Tube Diameters 42.4mm, 48.3mm

Base Plates Available 100mm diameter/105mm base cover, 120mm diameter/125mm base cover

Standard Height (To top of post)

1100mm, bespoke sizes available

Compatible Fixings

Wood, metal, brick or concrete

Post Construction

Welded base plate, glass clamps and end cap to top, base plate cover

Glass Thickness

10mm toughened,12mm toughened,10.76mm laminated

Can be used on stairs













Swage Fork Terminal



90-Degree Corner Elbow



Adjustable Corner Saddle



Eyelet - Metal



Eyelet - Wood



Swage Rigging Screw



Cable Holder



Stainless Steel Tube



Wall Flange



Tube Connector



End Cap



Face-Fix Clamp



Glue 50ml



000.

Scotch-Brite Cloth



Hydraulic Crimping Tool



Maximum Centres 1200mm - 1500mm

Material Grades Grade 316 (external)

Standard Row Volume

5. More or less rows available, prices will vary

Standard Height (To top of rail)

Tube Diameters 42.4mm,

48.3mm Stainless Steel Post Finishes

Mirror polished, Brushed satin. **Available in any RAL colour.**

Please ask for details.

Base Plates Available

100mm diameter/105mm base cover, 120mm diameter/125mm base cover


Compatible Fixings Wood, steel, brick or concrete

Post Construction Welded base plate, glass clamps and

tube support to top
Wire Thickness 4mm

This system does not comply to building regulations. Please consult your building inspector.

*Side or top fixing available









Glass Profile



Inside/Outside Corner 90°



End Cap left / right



Spacer



U-Profile Handrail



Round Handrail



Flex-Fit Tool



Combi Tool



FLEXIFIT 1.0Kn



Base Channel Material

Aluminium

Base Channel Finish Raw, anodised, stainless style, coloured. Available in any RAL colour.

Please ask for details.

Standard Balustrade

Height 1100mm

Glass Thickness 12 - 21.5mm

Glass Options

Clear, frosted or a

choice of colours

Base Channel Type

12 - 21.5mm

Capping Finish Raw, anodised,

stainless style, coloured


Compatible Fixings Steel or concrete

Maximum Glass Width 1500mm

Available in Side Fix. Please ask us about options.

Systems available tested up to 3KN. Please specify your KN and glass thickness requirements when placing your order.







Juliet Professional

Maximum Length Bespoke sizes available up to 2800mm

Material Grades Grade 316 (external)

Glass Thickness 10mm toughened

Standard Height (To top of rail)

1100mm, bespoke sizes available **Tube Diameters**

42.4mm, 48.3mm

Stainless Steel Post Finishes Satin or mirror.

Available in any RAL colour.

Please ask for details.

Glass Options

Coloured, clear or frosted

Base Plates Available 4x 150mm side fix brackets

Compatible Fixings

Metal, brick or concrete

Juliet Button

Maximum Length Bespoke sizes available up to 3000mm

Material Grades Grade 316 (external)

Glass Thickness 21.5mm laminated

Standard Height

1100mm, bespoke sizes available

No. of Clamps per Glass Panel 6 minimum

Stainless Steel Finishes Mirror.

Available in any RAL colour. Please ask for details.

Glass Options Frosted or clear **Button Clamp Sizes** 58mm diameter

Compatible Fixings Metal, brick or concrete







Maximum Length

1200 - 3000mm

Material Grade Aluminium Glass Thickness 10.76 - 21.52mm.

Dependant on required length

Standard Height 300 - 1200mm. Dependant on required length

Finishes Aluminium raw, aluminium anodised, RAL glossy, RAL matt, RAL stealth black.

Glass Options
Coloured, clear or frosted

Capping Finish Raw, anodised, stainless style, coloured

Compatible Fixings Metal, brick or concrete, plastic, aluminium, wood.

Available in SkyForce Top & SkyForce Side. Please specify your required system and glass thickness when placing your order.











BALUSTRADE RANGE

www.qic-trims.com

YOUR LOCAL STOCKIST

We offer a bespoke range which can be quoted on an individual basis.

Please contact us for more details.