



*Leading manufacturer of aluminium trims
and associated products for the interior fit out sector*

The Trim Guide

www.qic-trims.com



QIC Trim solutions are the next generation of building products. They are the modern way to create an endless range of attractive and functional ceiling features, quickly and cost effectively, using engineered extruded aluminium trims, transitions and profiles.

Fully compatible with all ceiling suspension and plasterboard drywall grid systems, the high quality sections are available as standard in white powder coated finishes, or to order in a full range of RAL colours, to match and enhance any interior scheme.

For a professional finish at an affordable price, our engineered aluminium sections create seamless transitions between plasterboard margins and all types of suspended grid ceilings. The range of QIC Transitions sections can be supplied straight or curved for ultimate design flexibility.

Take your ceiling design to new levels with a range of eye-catching designs or floating raft solutions and Blind Box details. Simple and effective to use, the QIC Trim extrusions offer a choice of height options from 50 to 100mm and can be incorporated in any ceiling using standard grid systems.

Create exciting floating ceilings. Using highly engineered and pre-cut sections and accessories in either off-the-shelf modular kit form or as individual bespoke solutions. They are available in a full range of profile colours to suit.

It's easy to retain complete wall to wall design integrity using our QIC Perimeter solutions. The pre-engineered extruded aluminium profiles and adaptors, seamlessly accommodate full or cut tiles and vertical or horizontal plasterboard linings. These can be used to create boxes for curtains, blinds and lighting details, or simply complete your design with an attractive shadowline perimeter feature.

In 2002, we opened our purpose-built 36,000 square foot factory which houses some of the most modern machinery available, together with a state-of-the-art polyester powder coating facility.

Our technical expertise, gained from years of practical industry experience, is second to none, and we back this up with full computer aided design technology. As the direct result of our investment in these facilities, we believe that our technology, product quality, and response times are of the highest level. We pride ourselves upon our ability to provide fast track solutions to detailing requirements, and this is the bedrock of our continuing success.



DRY LINING REVEAL TRIMS

SUSPENDED CEILING TRIMS

CEILING RAFT SOLUTIONS

BLIND BOX SOLUTIONS

BESPOKE TRIMS

METAL WORK

CONTENTS:

DRY LINING

Corner Trims	7 - 15
Reveal Trims	11 & 15
Edge Trims	12 - 13
Plasterboard End Caps	14
Picture Hanging System	15
Skirting Solutions	16
Clip-on Skirting	17
Partition Head Track	17

SUSPENDED CEILINGS

Ceiling Raft Solutions	18 - 19
Knife Edge	20 - 21
Perimeter Trims	22
Upstand Trims	24
Edge Trims	26
Curved Trims	28 - 29

ACCESSORIES

Blind Box	34
LED Lighting System	36
QICPLAS	37
Movement Joints	38
Fabrication	39
Fixings	40
Glass Partitioning Systems	42

SIMPLICITY

With QIC Trims products you can be sure of a perfect fit and finish every time. Our extruded pre-engineered aluminium profiles and trims are quick and easy to install using standard grid and tile combinations, so you can be sure of crisp edge details and smooth connections every time. Straight or curved, wall to wall or ceiling raft solutions at your fingertips – what could be simpler?

QUALITY

From customised solutions to off-the-shelf kits, our products come with the guarantee of outstanding quality and service, you would expect from QIC Trims, the market leader in Aluminium trims.

SERVICE

As with all QIC Trims products, you can be sure of the backing of a world class company that is totally focused. The unique QIC Trims service offer will support you with initial design recommendations, detailed drawings with a full contractor support package of tailored logistics plus training or on-site guidance. We will even provide maintenance advice and support if the project needs changing in the future.


BENEFITS

QIC Trims products offer single trade solutions that are quicker and more cost-effective to estimate and install. Our profiles can be prefinished in an array of RAL colours. In certain solutions, a significant time saving can be achieved over equivalent drywall perimeter solutions. Our precision engineered kits and accessories are designed to work with standard grids and tiles, so you get a perfect fit every time, no more complicated detailing problems to overcome – and no expensive re-working once the job is complete.

TECHNICAL EXPERTISE

A leading global expert in trim design and technology, QIC Trims legacy dates back to 1996 producing innovative perimeter and transition solutions.

We work closely with customers and partners to develop new and exciting products that today provide stylish and imaginative solutions for many of the world's landmark buildings, and have recently invested heavily in our design and engineering capabilities to provide customers with a wider portfolio of products and bespoke solutions for individual projects.













CORNER TRIMS

TYPE CE






REVEAL TRIMS

TYPE D



EDGE/REVEAL TRIMS

TYPE P



*When curved, some of the above sections may be fabricated from other components. Please speak to the sales office for details.
Other dimensions available to special order.*

REVEAL TRIMS**TYPE R****APPLICATION**

Type R trims are used to create horizontal or vertical reveal details where areas of dry lining abut suspended ceiling, door frames, floor skirting, window frames and many other architectural features. Subject to some bending limitations, type R trims can be factory curved both on plan and in section.

**PRODUCT INFORMATION**










Supplied in 3000mm lengths, extruded from architectural grade aluminium alloy to BS 1474. Pre-punched with diagonal fixing slots and holes in the plastering fin suitable for fixing by drywall screws. The standard finishes are either white polyester powder coating to RAL 9010, 20% Gloss, or chromate etch primer suitable for direct over-painting on site after fixing. Non-standard lengths, factory curving and alternative factory applied finishes are available to special order. Reveals with a custom dimension between 1mm – 99mm are available to special order.

PACKING


Packed in quantities as ordered with no bundle exceeding 25kgs. Packaging is by heavy gauge heat shrink polythene with corrugated cardboard end protection.

TECHNICAL DETAILS


Designed specifically for use as part of a conventional dry wall, partition or ceiling system with either single or multiple layers of plasterboard. Framework can be of metal stud, timber or other suitable medium provided that the structural requirements are met. Vertical studs should never be greater than 600mm apart. Trims are designed to create aesthetic appeal within dry lining systems and are not intended to improve structural performance. Construction depends upon the type of trim being used and typical application examples are shown on the data sheets. Trims should always be supported by structural members, with additional framing provided where necessary. Double layers of plasterboard will result in greater rigidity. Trims should always be backed by a layer of plasterboard and never fixed directly in contact with the structural framing. The use of additional layers of plasterboard may be necessary to achieve certain designs.



Other dimensions available to special order.




R12 Curved



Curved - on edge toe in


R12 Curved



Curved - on edge toe out

REVEAL TRIMS

TYPE RD




RD10




RD12



RD15



RD25




With the increased requirement for acoustics and the use of 15mm plasterboard, Type RD Reveal trims are used to create horizontal or vertical reveal details within areas of dry lining, suspended ceilings, door frames, skirting and windows frames and many other architectural features.


The products are designed for use with 15mm boards. Subject to some bending limitations, type RD trims can be factory curved both on plan and in section.

REVEAL TRIMS


TYPE RS



RS12



QIC products are available in all standard finishes, please refer to the sales team.
Bespoke finishes are available on request.





EDGE TRIMS

TYPE E

APPLICATION

Type E trims are used to create vertical or horizontal straight edges at the end of a run of plasterboard, or where a raised or recessed feature is required. The trims can be used in both wall and ceiling applications, be factory formed into column rings.



PRODUCT INFORMATION

Supplied in 3000mm lengths, extruded from architectural grade aluminium alloy to BS 1474.

Pre-punched with diagonal fixing slots and holes in the plastering fin suitable for fixing by drywall screws. The standard finishes are either white polyester powder coating to RAL 9010, 20% Gloss, or chromate etch primer suitable for direct over-painting on site after fixing. Non-standard lengths, factory curving and alternative factory applied finishes are available to special order. Trims with a custom dimension between 3mm-100mm are available to special order.








PACKING

Packed in quantities as ordered with no bundle exceeding 25kgs. Packaging is by heavy gauge heat shrink polythene with corrugated cardboard end protection.


TECHNICAL DETAILS

Designed specifically for use as part of a conventional dry wall, partition or ceiling system with either single or multiple layers of plasterboard. Framework can be of metal stud, timber or other suitable medium provided that the structural requirements are met. Vertical studs should never be greater than 600mm apart.

Trims are designed to create aesthetic appeal within dry lining systems and are not intended to improve structural performance. Construction depends upon the type of trim being used and typical application examples are shown on the data sheets. Trims should always be supported by structural members, with additional framing provided where necessary. Double layers of plasterboard will result in greater rigidity. Trims should always be backed by a layer of plasterboard and never fixed directly in contact with the structural framing. The use of additional layers of plasterboard maybe necessary to achieve certain designs.





See also
QICPLAS
Associated product



PLASTERBOARD END CAPS

TYPE GL




Can be used with
QIC
PARTITIONS


REVEAL TRIMS

TYPE W


W7



W12






W25



PICTURE HANGING SYSTEM

TYPE H


H25



SKIRTING SOLUTIONS


TYPE ST

ST100



TYPE SKR



SKR100



Other dimensions available to special order.

TYPE STA



STA100






QIC products are available in all standard finishes, please refer to the sales team.
Bespoke finishes are available on request.

SKIRTING SOLUTIONS

CLIP-ON SKIRTING






PARTITIONING HEAD TRACK




CEILING RAFT SYSTEM**TYPE US** •

Create an almost limitless range of exciting floating ceiling rafts. Using highly engineered and pre-cut sections and accessories in either off-the-shelf modular kit form or as individual bespoke solutions. They are available in a full range of profile colours to suit 15 and 24mm suspension systems and will accept any mineral, metal or wood range ceiling tiles - the choice is yours.


**US01****US02**



US01 Curved






QIC products are available in all standard finishes, please refer to the sales team. Bespoke finishes are available on request.












PERIMETER SOLUTIONS

KNIFE EDGE








PERIMETER TRIM

TYPE AG





SHADOW GAP TRIM - MINERAL CEILING TILES

TYPE SA




METAL CEILING TRIMS

TYPE XT




METAL PLANK CEILINGS

C40



C40 Installation detail

US300







US300 Installation detail



TRANSITION TRIM METAL CEILINGS



TYPE Y •




TRANSITION TRIM METAL CEILINGS

TYPE Y


Y0



Y15






Y20




TRANSITION TRIM METAL CEILINGS


YPB330




TYPE SC



SC01



SC03




SC04




PERIMETER TRIM METAL CEILINGS


TYPE CH




CH01



CH02



CH03



When curved, some of the above sections may be fabricated from other components. Please speak to the sales office for details.
Other dimensions available to special order.

WEDGELOCK CLEAT
JOINING SYSTEM ONLY




sales@qic-trims.com

UPSTAND TRIMS

WEDGELOCK CLEAT
JOINING SYSTEM ONLY


TYPE UA

UA01



TYPE UC


UC01




T-GRID SYSTEM TRIMS

TYPE T

T01




T04



TYPE SJA

SJA03



Other dimensions available to special order.



sales@qic-trims.com


TRANSITION TRIM MINERAL CEILINGS

TYPE YAS


APPLICATION

Type YA trims are used to create junction details between tegular mineral fibre suspended ceiling systems and adjacent areas of plasterboard.


YAS8





YAS10




YAS15




YAS21




TYPE YA





YA0



YA15








YA20



When curved, some of the above sections may be fabricated from other components. Please speak to the sales office for details. Other dimensions available to special order.

PLASTERBOARD PERIMETER TRIMS




TYPE X



When curved, some of the above sections may be fabricated from other components. Please speak to the sales office for details. Other dimensions available to special order.

EDGE TRIMS


TYPE P



When curved, some of the above sections may be fabricated from other components. Please speak to the sales office for details. Other dimensions available to special order.

CURVED TRIMS SUSPENDED CEILINGS

CH02 - Toe Out




Y15 - Toe Out




X55 - Column Installation




Y15 - Toe In - Technical Detail



Y15 - Toe Out - Technical Detail




X15 - Toe Out - Technical Detail



X15 - Toe In - Technical Detail



CH02 Toe Out - Technical Detail




CH02 Toe In - Technical Detail


CURVED TRIMS DRY LINING



ST100




Curved toe out




Curved toe in


R12



E12





Curved: on edge toe out



Curved: on edge toe in


QIC Blind Box is a brand new development on the traditional bulkhead constructed in timber and plasterboard and then decorated.









Blind Box range

-  **100 x 100**
-  **Special projects**
-  **Bespoke sizes**

100 X 100






FOR INFORMATION ON THE FULL RANGE OF STANDARD AND BESPOKE SIZES
PLEASE CONTACT US FOR OUR SPECIALIST BLIND BOX BROCHURE

LED LIGHTING SYSTEMS


QIC LED TRIMS • To suit application of LED lighting • To suit 12.5mm and 15mm plasterboard • 3000mm lengths

- RAL 9010 as standard, other colours available on request





QIC LED 15



QIC LED 15C



QIC LED 2080




sales@qic-trims.com

QICPLAS



DRY LINING BEADS

Sales  01280 818950



Manufactured from recycled plastic, QICPLAS PVCu architrave shadow gap beads are designed for plasterboard to quickly and accurately form a shadow gap and provide a superior clean finish. Used at the edges of the plasterboard next to door frames, ceilings and skirting boards where the adjacent finish is designed to be seen.





SGL20




SGU15




EB12




EB15



CB2A





CB2



Full data sheets on each product available - please contact us


ALUMINIUM

To accommodate structural movement. QIC Pre-formed Aluminium strip 50mm wide. Used to form lateral joints in drywall systems to accommodate expansion and contraction.




QICPLAS PVC


Manufactured from recycled plastic, QICPLAS PVC movement joint / expansion joint beads are designed for areas of render over 20 square metres and should be specified every 4-6 metres, over structural movement joints and changes of background giving a discreet attractive finish. Also for use as an internal corner with plasterboard




SHEET METAL FABRICATION




Top Hat



Ceiling Panel



C Profile




Angle


ACCESSORIES - QIC CLEATS - FIXINGS

QIC cleats are used in conjunction with many of the QIC range of suspended ceiling trims as a means of ensuring tight and perfectly aligned joints between runs of straight trims, and at corners and junctions. Cleats are designed to be a pressure fit inside the trim and the cleat can be further acitvated by using the pre-formed tabs.


Straight Cleat




DF Cleat




T Grid Connector Cleat




M4 90 Cleat



Hanging Bracket




Border Wedge




sales@qic-trims.com




GLASS PARTITION SYSTEM




Item: DGDH1
Visible Face: 198mm
Periphery: 344mm
Kg/m: 1.27




Item: SGDH1
Visible Face: 150mm
Periphery: 362mm
Kg/m: 1.26




Item: DGDH1
Visible Face: 150mm
Periphery: 463mm
Kg/m: 1.64




Item: SGDF
Visible Face: 195mm
Periphery: 285mm
Kg/m: 1.23




Item: SGDH2
Visible Face: 160mm
Periphery: 375mm
Kg/m: 0.88




Item: DGDH2
Visible Face: 199mm
Periphery: 572mm
Kg/m: 1.57



Item: SGDF-CENTRE
Visible Face: 204mm
Periphery: 394mm
Kg/m: 1.41




Item: DGH35
Visible Face: 100.5mm
Periphery: 426mm
Kg/m: 1.06



Item: SGHT35
Visible Face: 81mm
Periphery: 246mm
Kg/m: 0.53



Item: SGCLIP
Visible Face: 27.5mm
Periphery: 70mm
Kg/m: 0.13




Item: DG03
Visible Face: 96mm
Periphery: 340.5mm
Kg/m: 0.77



Item: SG03
Visible Face: 85.5mm
Periphery: 191.5mm
Kg/m: 0.36



Item: SG02
Visible Face: 28mm
Periphery: 77mm
Kg/m: 0.15




Item: DG01
Visible Face: 28mm
Periphery: 318mm
Kg/m: 0.56




Item: SG01
Visible Face: 40mm
Periphery: 125mm
Kg/m: 0.24


75mm PARTITION SYSTEM




Item: DWRA75/DF
Visible Face: 22mm
Periphery: 544mm
Kg/m: 1.655




Item: DWRA75/DG/C
Visible Face: 57mm
Periphery: 363mm
Kg/m: 0.968




Item: DWRA75/DG
Visible Face: 181mm
Periphery: 474mm
Kg/m: 1.559



Item: DWRA75/HT
Visible Face: 90mm
Periphery: 445mm
Kg/m: 1.016



Item: DWRA75/SG/C
Visible Face: 71mm
Periphery: 423mm
Kg/m: 0.85




Item: DWRA75/SG
Visible Face: 192mm
Periphery: 501mm
Kg/m: 1.187

MULLION POST



Item: MP01
Visible Face: 31mm
Periphery: 110mm
Kg/m: 0.203




Item: MP02
Visible Face: 31mm
Periphery: 258mm
Kg/m: 0.565




Item: MP03
Visible Face: 43mm
Periphery: 155mm
Kg/m: 0.356


100mm PARTITION SYSTEM




Item: DWRA/DF
Visible Face: 240mm
Periphery: 610mm
Kg/m: 1.933




Item: DWRA/HT
Visible Face: 90mm
Periphery: 449mm
Kg/m: 1.05




Item: DWRA/DG/C
Visible Face: 64mm
Periphery: 504mm
Kg/m: 1.16



Item: DWRA/SG/C
Visible Face: 110mm
Periphery: 465mm
Kg/m: 1.23




Item: DWRA/DG
Visible Face: 188mm
Periphery: 609mm
Kg/m: 1.51



Item: DWRA/SG
Visible Face: 202mm
Periphery: 551mm
Kg/m: 1.27

100MM SKIRTING



Item: SB100
Visible Face: 111mm
Periphery: 299mm
Kg/m: 0.676




Item: SB100-CLIP
Visible Face: NA
Periphery: NA
Kg/m: 1.655

For further information please contact our sales team
for our Single and Double Glazed Partitions Brochures.



sales@qic-trims.com






Meet the new **Matrix-Mesh** ceiling tiles from



Add contemporary aesthetics to interiors with QIC Matrix-Mesh ceiling tiles. With a choice of almost endless different colours, mesh patterns, and various edge details, these metal mesh ceiling tiles create spaces that harmoniously blend form and function, enriching lives through innovative design solutions. Made from galvanised steel, powder coated and painted, Matrix-Mesh ceiling tiles are easily installed and allow quick easy access to the ceiling void above.



5 Standard MESH patterns Ex-Stock

- Aptus
- Finity
- Nova
- **Scape**
- **VEXA**





QicTrims Ltd - Radclive Road, Gawcott, Bucks, MK18 4BL (UK)

T: +44(0)1280 818950 **E:** sales@qic-trims.com

www.qic-trims.com